

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

FIGURE 1

Tissue Distribution of sFRP-5 Expression in Wild-Type Mice




FIGURE 2

sFRP-5 expression in the WAT of wild-type versus HMGI-C knockout mice




FIGURE 3

Relative sFRP-5 Expression in WT and *ob/ob* Adipose Tissue




FIGURE 4

sFRP-5 Expression in the Stromal Vascular and Adipocyte Fractions of Adipose Tissue




FIGURE 5

Transient Transfection and Expression in CHO Cells




FIGURE 6

Expression of sFRP-5 in Response to Addition of sFRP-5 Conditioned Medium from 3T3-L1 Cells




Figure 7

